



精彩生活从头开始！

Wonderful Life From Head

植发针 **FUE PUNCH**





## FUE/技术

### ▲ FUE Punch Overview

"FUE"技术是国际上一项革命性的植发技术。这项技术无须从供体区移植皮瓣或者使用缝合技术，因此可以避免供体区域的疤痕，并且可以进一步缩短恢复时间。特别要指出，“FUE”技术是一种通过采用手动或电动毛囊提取机用植发针（植发针的规格有：0.8mm、0.9mm、1.0mm、1.1mm、1.2mm）从脱发患者头发密集区钻取毛囊的最新方法。也是对毛囊侵害性最小的植发手术。亚洲人一般毛囊大小在0.8mm-0.9mm左右，欧美一般毛囊大小1.0mm-1.2mm左右）。我们根据毛囊大小选用植发针钻松毛囊，再用夹子把毛囊取出放在培植液中进行培育提高毛囊存活率。然后在患者脱发区钻取软组织留下空位植入培育好的毛囊。手术完成后，患者须清洗头发，为伤口消毒，严格按照医嘱服用抗生素和激素类物品，防止细菌感染。

"FUE" technology is a revolutionary international hair transplant technology. This technique eliminates the need for graft flaps from the donor area or the use of suturing techniques, thereby avoiding scarring in the donor area and further reducing recovery time. In particular, the "FUE" technique is a technique of hair removal from hair loss areas by using a manual or electric hair follicle extractor with a hair shaft (specifications of hair shaft: 0.8mm, 0.9mm, 1.0mm, 1.1mm 1.2mm) The latest method of hair follicles. It is also the least invasive surgery. Asian hair follicles generally 0.8mm-0.9mm in size, generally the size of the general European and American hair follicles 1.0mm-1.2mm or so). According to the size of hair follicles we choose hairpin hair drilling hair follicles, and then use the clip to remove the hair follicles in culture solution to cultivate to improve hair follicle survival rate. The soft tissue is then drilled into the hair loss area of the patient to leave well-placed hair follicles. After surgery, patients have to clean their hair and disinfect their wounds, taking antibiotics and hormones in strict accordance with doctor's orders to prevent bacterial infections.



植发针 **FUE PUNCH**  
**精彩生活从头开始！**  
Wonderful Life From Head

## ▲ FUE Punch Advantages

- 1、刀刃锋利。(使用轻松，减少患者痛苦！)
- 2、刀口壁薄厚度只有0.1mm。(减少创伤加快康复！)
- 3、同心度好。(不会破坏毛囊组织！保证了头发存活量！)
- 4、硬度高光洁度好。(通过特殊表面涂层处理，增加硬度和光洁度，降低了磨擦系数！有效提高提取毛囊的数量，缩短手术的时间！)

- 1, Sharp blade. (Easy to use, reducing patient pain!)
- 2, The thickness of the blade wall is only 0.1mm. (Reduce trauma and speed up recovery!)
- 3, Good concentricity. (Will not damage the hair follicle tissue! Guaranteed hair survival!)
- 4, High hardness finish. (Through the special surface coating, increase the hardness and finish, lower the coefficient of friction! Effectively increase the number of hair follicles, shorten the operation time!)



# 800102

## FUE PUNCH

**FUE**   
FUE punch

根据需求请选择合适的植发针类型及尺寸，  
使工作更加简便快速

Choose from suitable size and kinds  
of FUE hair transplant needles.

Make the hair extraction process  
simpler, smoother and quicker



### ▲ 选型参数 Selection Parameters

#### 800102 FUE PUNCH (直杆型植发针 Manual Punch )

#### 800102 YK-CC FUE PUNCH

| ID   | OD   | L    | Material | Surface | Surface |
|------|------|------|----------|---------|---------|
| 内孔mm | 柄径mm | 总长mm | 材质       | 表面处理    | 表面处理    |
| 0.80 | 1.5  | 25.5 | SUS304   |         |         |
| 0.90 | 1.5  | 25.5 | SUS304   |         |         |
| 1.00 | 1.5  | 25.5 | SUS304   | Polish  | PVD     |
| 1.10 | 1.5  | 25.5 | SUS304   |         |         |
| 1.20 | 1.5  | 25.5 | SUS304   |         |         |

| Order No.  | Model    | Specification | Quantity(pcs) |
|------------|----------|---------------|---------------|
| 订购编号       | 型号       | 规格mm          | 一盒套装数量/支      |
| 800102-080 | YK-CD-08 | 0.80          | 5             |
| 800102-090 | YK-CD-09 | 0.90          | 5             |
| 800102-010 | YK-CD-10 | 1.00          | 5             |
| 800102-110 | YK-CD-11 | 1.10          | 5             |
| 800102-120 | YK-CD-12 | 1.20          | 5             |

### ▲ 适用范围 Application



1. Androgenetic alopecia
2. Eyebrow transplant
3. Frontal hair line lowering or reconstruction
4. Available donor hair on the chest, back, shoulders, torso or legs.

# 800101

## FUE PUNCH



根据需求请选择合适的植发针类型及尺寸，  
使工作更加简便快速

Choose from suitable size and kinds  
of FUE hair transplant needles.

Make the hair extraction process  
simpler, smoother and quicker



### ▲ 选型参数 Selection parameters

#### 800101 FUE PUNCH (带头型植发针Motorized Punh)

#### 800101 YK-CC FUE PUNCH

| ID   | OD   | L     | Material | Surface | Surface |
|------|------|-------|----------|---------|---------|
| 内孔mm | 柄径mm | 总长mm  | 材质       | 表面处理    | 表面处理    |
| 0.80 | 2.3  | 36.75 | SUS304   | Polish  | PVD     |
| 0.90 | 2.3  | 36.75 | SUS304   |         |         |
| 1.00 | 2.3  | 36.75 | SUS304   |         |         |
| 1.10 | 2.3  | 36.75 | SUS304   |         |         |
| 1.20 | 2.3  | 36.75 | SUS304   |         |         |

| Order No.  | Model    | Specification | Quantity(pcs) |
|------------|----------|---------------|---------------|
| 订购编号       | 型号       | 规格mm          | 一盒套装数量/支      |
| 800101-080 | YK-CC-08 | 0.80          | 5             |
| 800101-090 | YK-CC-09 | 0.90          | 5             |
| 800101-010 | YK-CC-10 | 1.00          | 5             |
| 800101-110 | YK-CC-11 | 1.10          | 5             |
| 800101-120 | YK-CC-12 | 1.20          | 5             |

### ▲ 适用范围 Application



1. Androgenetic alopecia
2. Eyebrow transplant
3. Frontal hair line lowering or reconstruction
4. Available donor hair on the chest, back, shoulders, torso or legs.


## QUALITY POLICY 品质政策

质量是企业立足之本，优质的产品是企业打入世界市场的强大武器。公司为了创造至优至尊的产品，严把加工过程的每一道关口，力求以一流的产品应对激烈的市场竞争。

Quality is based on the enterprise, high-quality products is a powerful weapon to enter the world market. The company in order to create supreme products, Strict every pass of the process and strive to first-class products to deal with fierce market competition.

## PACKAGE 包装方式





精彩生活从头开始!

**FUE**   
FUE punch



**FUE**   
FUE punch

东莞市锰凯模具科技有限公司  
YUKAI PRECISION IND CO.,LTD

Contact: 13827280793